



TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002

100




Figure 1

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002




Figure 2

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
 NAMED INVENTOR: JOHN B. LANGLEY
 ATTORNEY DOCKET NO.: 012.P6002




Figure 3




Figure 4

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002




Figure 5A

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002





Figure 5B

ATTORNEY DOCKET NO.: 012.P6002



Figure 5C

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
 NAMED INVENTOR: JOHN B. LANGLEY
 ATTORNEY DOCKET NO.: 012.P6002



Timeout1, Programmable parameter ACK_WAIT_SIZE:
 6,12,18,24,36,48,72,90 us

Timeout2, fixed size: 37.125 us which is the maximum length of an
 acknowledge packet (24 preamble + 1 sfd + 20 byte ack_packet)

Figure 5D

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002




Figure 6A

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002




Figure 6B




Figure 6C

TITLE: FREQUENCY OFFSET DIFFERENTIAL PULSE POSITION MODULATION
NAMED INVENTOR: JOHN B. LANGLEY
ATTORNEY DOCKET NO.: 012.P6002




Figure 6D




Figure 6E